

# **CCRG**

## **Conformal Coating Remover Gel**

### **DESCRIPTION**

CCRG is a thixotropic gel formulated to remove solvent resistant conformal coatings, including Electrolube DCA, DCB, DCR, DCRT, DCE, PUC, URC and WBP/S. This product does not contain methylene chloride.

#### READ ENTIRE TECHNICAL BULLETIN BEFORE USING THIS PRODUCT

#### **APPROVALS**

Standard	Status
RoHS Compliant (2015/863/EU)	Yes

#### PRODUCT INFORMATION

For available packaging sizes please visit:

electrolube.com

#### **PHYSICAL PROPERTIES**

Category	Results
Liquid Properties	
Appearance	Colorless Gel
Density @ 20 °C (g/mL)	0.950
VOC Content	98%
Flash Point	-17 °C CC (Closed Cup)





#### **APPLICATION GUIDELINES**

Areas where the conformal coating is to be removed should be identified. CCRG should be applied in small sections using a brush or syringe. CCRG will then start to attack the coating lifting it from the surface, after which the gel should be wiped off or promptly rinsed off with deionised water – do not allow the gel to fully dry out.

This method should be repeated until the required area is clean.

CCRG will not generally damage metals; however, there may be some corrosion on ferrous metals if materials are soaked for prolonged periods. CCRG will attack several plastics and also remove component identification markings if prolonged exposure is permitted. Where possible, a compatibility test with sensitive plastics should be conducted prior to full-scale use.

A removal solvent (RRS) is also supplied, should a liquid product be required. CCRG is highly flammable so care must be taken when using this material. Refer to the Material Safety Data Sheet for additional information.

#### **ADDITIONAL INFORMATION**

Shelf Life: 36 Months





#### TECHNICAL BULLETIN

#### **SAFETY & WARNING**

It is recommended that the company/operator read and review the Safety Data Sheets for the appropriate health and safety warnings before use. **Safety Data Sheets are available.** 

#### **CONTACT INFORMATION**

### To confirm this document is the most recent version, please contact TechnicalSupportTeam@hkw.co.uk

www.electrolube.com

North America 109 Corporate Blvd. South Plainfield, NJ 07080, USA 1.800.367.5460 Europe
Ashby Park
Coalfield Way
Ashby de la Zouch
Leicestershire, LE65 1JR, UK
44.01530.41960

Asia 8/F., Paul Y. Centre 51 Hung To Road Kwun Tong, Kowloon, Hong Kong 852.3190.3100

Also read carefully warning and safety information on the Safety Data Sheet. This data sheet contains technical information required for safe and economical operation of this product. READ IT THOROUGHLY PRIOR TO PRODUCT USE . Emergency safety directory assistance: US 1 202 464 2554, Europe + 44 1235 239 670, Asia + 65 3158 1074, Brazil 0800 707 7022 and 0800 172 020, Mexico 01800 002 1400 and (55) 5559 1588

DISCLAIMER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. No statement or recommendation shall constitute a representation unless set forth in an agreement signed by officers of seller and manufacturer. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY IS MADE. The following warranty is made in lieu of such warranties and all other warranties, express, implied, or statutory. Products are warranted to be free from defects in material and workmanship at the time sold. The sole obligation of seller and manufacturer under this warranty shall be to replace any noncompliant product at the time sold. Under no circumstances shall manufacturer or seller be liable for any loss, damage or expense, direct, incidental or consequential, arising out of the inability to use the product. Notwithstanding the foregoing, if products are supplied in response to a customer request that specifies operating parameters beyond those stated above, or if products are used under conditions exceeding said parameters, the customer by acceptance or use thereof assumes all risk of product failure and of all direct, indirect, incidental and consequential damages that may result from use of the products under such conditions, and agrees to exonerate, indemnify, defend and hold harmless MacDermid, Incorporated and its affiliates therefrom. No suggestion for product use nor anything contained herein shall be construed as a recommendation to use any product in a manner that infringes any patent or other intellectual property rights, and seller and manufacturer assume no responsibility or liability for any such infringement.

© 2019 MacDermid, Inc. and its group of companies. All rights reserved. "(R)" and "TM" are registered trademarks or trademarks of MacDermid, Inc. and its group of companies in the United States and/or other countries.